

ISSN 2311-1828

Перша заповідь землероба:
«Збереження довкілля і ґрунту як джерела
родючості для майбутніх поколінь»

№2(16)
2020

ІНЖЕНЕРІЯ ПРИРОДОКОРИСТУВАННЯ

90
років
ХНТУСГ
ім. П.Василенка

120
років
Петру Мефодійовичу
Василенку

Харків

**Міністерство освіти і науки України
Ministry of Education and Science of Ukraine**

**НАУКОВИЙ ЖУРНАЛ
SCIENTIFIC JOURNAL**

**ІНЖЕНЕРІЯ
ПРИРОДОКОРИСТУВАННЯ**

2020, № 2 (16)

**ENGINEERING
OF NATURE MANAGEMENT
2020, # 2 (16)**

–

Харків – 2020 – Kharkiv

НАУКОВИЙ ЖУРНАЛ «ІНЖЕНЕРІЯ ПРИРОДОКОРИСТУВАННЯ»

SCIENTIFIC JOURNAL «ENGINEERING OF NATURE MANAGEMENT»

Журнал «Інженерія природокористування» містить оглядові статті та результати досліджень у відповідності із рубриками:

- Енергозбереження і альтернативна енергетика.
- Мобільні і стаціонарні енергозасоби та їх елементи.
- Транспортні процеси агропромислового комплексу.
- Інтенсивні та екологічно ощадні технології рослинництва.
- Техніка і технології тваринництва.
- Інженерія використання та відновлення довкілля.
- Механіка агротехнологічних матеріалів.
- Переробка та зберігання сільськогосподарської продукції.
- Конструкція і теорія сільськогосподарських машин.
- Ефективність використання машин в землеробстві.
- Мехатроніка і цифрові технології природовикористання.
- Якість, стандартизація, безпека, екологічність та ергономічність машин і технологій.

Журнал призначений для виробників, викладачів, наукових співробітників, аспірантів і студентів, які спеціалізуються у відповідних або суміжних галузях науки та напрямках виробництва.

Засновник: Харківський національний технічний університет сільського господарства ім. П. Василенка.

Журнал виходить 4 рази на рік. Мова видання: українська, російська, англійська.

Затверджено до друку рішенням Вченої ради Харківського національного технічного університету ім. П. Василенка (протокол №1 від 01.09.2020).

Журнал включено до Переліку наукових фахових видань України відповідно до наказу Міністерства освіти і науки України № 1328 від 21.12.2015.

ISSN 2311-1828

© Харківський національний технічний університет сільського господарства імені Петра Василенка, 2020.

The scientific journal «Engineering of nature management» contains review papers and research results in accordance with sessions:

- Energy saving and alternative power engineering.
- Mobile and stationary power units and their elements.
- Transport processes of agro-industrial complex.
- Intensive and environmentally saving crop growing technologies.
- Engineering and technologies in livestock.
- Engineering of use and restoration of environment.
- Mechanics of agrotechnological materials.
- Processing and storage of agricultural products.
- Construction and theory of agricultural machines.
- Efficiency of application of machinery in agriculture.
- Mechatronics and digital technology of natural resources management.
- Quality, standardization, safety, environmentalism and ergonomics of machines and technologies.

The journal is designated for manufacturers, teachers, researchers, postgraduate students and students who specialize in relative or corresponding fields of science and production directions.

Founder: Kharkiv Petro Vasylenko National Technical University of Agriculture.

The journal is released 4 times a year. Languages of publication: Ukrainian, Russian and English.

Approved for publication by decision of Academic council of Kharkiv Petro Vasylenko National Technical University of Agriculture (protocol №1 від 01.09.2020).

The journal included in the list of scientific professional publications of Ukraine under the Ministry of Education and Science of Ukraine of 21-12-2015 № 1328.

ISSN 2311-1828

© Kharkiv Petro Vasylenko National Technical University of Agriculture, 2020.

Редакційна колегія:

Головний редактор – **Мельник В.І.**, д. т. н., академік АНВО України (Харків, Україна).

Заступник головного редактора – **Лук'яненко В.М.**, к. т. н., доцент (Харків, Україна).

Відповідальний секретар – **Чигрина С.А.**

Члени редакційної колегії:

Войтов В.А., д. т. н., проф. (Харків, Україна) – транспортні процеси агропромислового комплексу і механіка агротехнологічних матеріалів;

Лебедєв А.Т., д. т. н., проф., академік АНВО України (Харків, Україна) – мобільні і стаціонарні енергосаоби та їх елементи;

Завгородній О.І., д. т. н., проф., (Харків, Україна) – конструкція і теорія сільськогосподарських машин та переробка і зберігання сільськогосподарської продукції;

Пастухов В.І., д. т. н., проф. (Харків, Україна) – інтенсивні та екологічно ощадні технології рослинництва;

Мегель Ю.Є., д. т. н., проф., (Харків, Україна) – мехатроніка і цифрові технології природокористування;

Адамчук В.В., д. т. н., проф., академік НААН України (Глеваха, Київська обл., Україна) – інтенсивні та екологічно ощадні технології рослинництва;

Булгаков В.М., д. т. н., проф., академік НААН України (Київ, Україна) – конструкція і теорія сільськогосподарських машин;

Надикто В.Т., д. т. н., проф., чл.-кор. НААН України (Мелітополь, Україна) – ефективність використання машин в землеробстві;

Подригало М.А., д. т. н., проф., академік АНВО України (Харків, Україна) – мобільні і стаціонарні енергосаоби та їх елементи;

Толочко М.К., д. ф.-м. н., проф., (Мінськ, Білорусь) – механіка агротехнологічних матеріалів;

Ужик В.Ф., д. т. н., проф. (Белгород, Росія) – техніка і технології тваринництва;

Дімітров Л.В., д. т. н., проф. (Софія, Болгарія) – ефективність використання машин в землеробстві;

Алтибасєв А.Н., д. т. н., доц., академік МАІН (Алмати, Казахстан) – мехатроніка і цифрові технології природокористування;

Сергієнко О.Ю., к.т.н., проф. (Мехікалі, Мексика) – мехатроніка і цифрові технології природокористування;

Меркореллі П., к.т.н., проф. (Люнебург, Німеччина) – мехатроніка і цифрові технології природокористування.

Адреса редакції:

ННІ МСМ, ХНТУСГ ім. П. Василенка,
просп. Московський 45, Харків,
Україна, 61050

Тел.: +38 (057) 732-86-40

Сайт: <http://enm.khntusg.com.ua>

E-mail: enm.journal@gmail.com

Editorial Board:

Editor-in-Chief – **Melnyk V.I.**, Full Doctor (Engr.), Member of Higher Education Academy of Sciences of Ukraine (Kharkiv, Ukraine).

Associate Editor – **Lukianenko V.M.**, PhD (Engr.), Associate Professor (Kharkiv, Ukraine).

Executive Secretary – **Chygryna S.A.**

Editorial Staff:

Voitov V.A., Full Doctor (Engr.), Professor (Kharkiv, Ukraine) – transport processes of agro-industrial complex and mechanics of agrotechnological materials;

Lebediev A.T., Full Doctor (Engr.), Professor, Member of Higher Education Academy of Sciences of Ukraine (Kharkiv, Ukraine) – mobile and stationary power units and their elements;

Zavhorodnii O.I., Full Doctor (Engr.), Professor (Kharkiv, Ukraine) – processing and storage of agricultural products, construction and theory of agricultural machines;

Pastukhov V.I., Full Doctor (Engr.), Professor (Kharkiv, Ukraine) – intensive and environmentally saving crop growing technologies;

Megel Yu.E., Full Doctor (Engr.), Professor (Kharkiv, Ukraine) – mechatronics and digital technology of natural resources management;

Adamchuk V.V., Full Doctor (Engr.), Professor, Member of Ukrainian Academy of Agrarian Sciences (Hlevakha, Kiev Oblast, Ukraine) – intensive and environmentally saving crop growing technologies;

Bulgakov V.M., Full Doctor (Engr.), Professor, Member of Ukrainian Academy of Agrarian Sciences (Kiev, Ukraine) – construction and theory of agricultural machines;

Nadykto V.T., Full Doctor (Engr.), Professor, Member Correspondent of Ukrainian Academy of Agrarian Sciences (Melitopol, Ukraine) – efficiency of application of machinery in agriculture;

Podrigalo M.A., Full Doctor (Engr.), Professor, Member of Higher Education Academy of Sciences of Ukraine (Kharkiv, Ukraine) – mobile and stationary power units and their elements;

Tolochko N.K., Full Doctor (Engr.), Professor (Minsk, Belarus) – mechanics of agrotechnological materials;

Uzhik V.F., Full Doctor (Engr.), Professor (Bielhorod, Russia) – engineering and technologies in livestock;

Dimitrov L.V., Full Doctor (Engr.), Professor (Sofia, Bulgaria) – efficiency of application of machinery in agriculture;

Altybayev A.N., Full Doctor (Engr.), Associate professor, Member of International Information Academy (Almaty, Kazakhstan) – mechatronics and digital technology of wildlife management;

Sergiyenko O.Yu., PhD (Engr.), Professor (Mexicali, Mexico) – mechatronics and digital technology of natural resources management;

Mercorelli P., PhD (Engr.), Professor (Luneburg, Germany) – mechatronics and digital technology of natural resources management.

Editorial address:

ERI MSM, KhNTUA,
prospect Moskovskii, 45, Kharkiv,
Ukraine, 61050

Tel.: +38 (057) 732-86-40

Site: <http://enm.khntusg.com.ua>

E-mail: enm.journal@gmail.com

... ЗМІСТ ...
... CONTENT ...

... Енергозбереження і альтернативна енергетика ...
... Energy saving and alternative power engineering ...

Тимчук С.А., Левтеров А.А., Нечитайло Ю.А. Применение БПЛА и систем дистанционного контроля и поиска поврежденных ЛЭП на основе клиент-серверного приложения 6

... Мобільні і стаціонарні енергозасоби та їх елементи ...
... Mobile and stationary power units and their elements ...

Бажинов О.В., Заверуха Р.Р., Бажинова Т.О. Інформаційна комплексна система діагностики гібридних і електромобілів 12

... Інтенсивні та екологічно ощадні технології рослинництва ...
... Intensive and eco-savings crop production technologies ...

Артёмов М.П., Пузик Л.М., Пузик В.К., Гайова Л.О., Філімонова О.І. Вплив погодних умов вегетаційного періоду, строків посадки та особливостей сорту на ріст, розвиток рослин часнику озимого 19

Пастухов В.І., Кириченко Р.В., Бакум М.В., Крекот М.М., Могильна О.М., Мельник О.В., Калашник В.В. Обґрунтування вирощування картоплі за технологією Strep-Till..... 25

Voltianska N., Manita I., Podashevskaya H. Application of nanotechnology in technological processes of animal husbandry in Ukraine 33

... Техніка і технології тваринництва ...
... Engineering and technologies in livestock ...

Тарельник В.Б., Коноплянченко Є.В., Гецович Є.М., Довжик М.Я. Удосконалення способу подрібнення кормів молотковими дробарками..... 38

... Механіка агротехнологічних матеріалів ...
... Mechanics of agrotechnological materials ...

Голуб Г.А., Цивенкова Н.М., Чуба В.В., Голубенко А.А., Ачкєвич В.І., Корнійчук В.В. Дослідження насипної щільності подрібненої рослинної сировини 45

... Переробка та зберігання сільськогосподарської продукції ...
... Processing and storage of agricultural products ...

Лук'яненко В.М., Никифоров А.О., Никифорова А.П. Експериментальні дослідження впливу взаємозіткнень насіння на їх рух по неперфорованим віброфрикційним 53

... Конструкція і теорія сільськогосподарських машин ...
... Construction and theory of agricultural machines ...

Булгаков В.М., Адамчук О.В., Кувачов В.П. Експериментальні дослідження нерівномірності розподілу мінеральних добрив за напрямком їх розсіювання 60

Козаченко О.В., Сєдих К.В., Волковський О.М. Фізико-математична модель взаємодії диска з ґрунтом 69

Application of nanotechnology in technological processes of animal husbandry in Ukraine

N. Boltianska¹, I. Manita², H. Podashevskaya³

^{1,2} Dmytro Motornyi Tavria state agrotechnological university (Melitopol, Ukraine)

³ Belarusian State Agrarian Technical University (Minsk, Belarus)

e-mail: ¹nataliia.boltianska@tsatu.edu.ua, ²igor.manita@tsatu.edu.ua, ³confamf@tut.by

Today, it is becoming more and more obvious that those countries that develop electronics, nanotechnology and biotechnology will have an advantage. The studies carried out have shown that the use of nanotechnology and nanomaterials in animal husbandry currently allows solving a number of acute problems and provides a significant effect. In animal husbandry, it is advisable to use nanotechnology in technological processes, where they provide additional advantages. When forming the microclimate in the premises for keeping animals and poultry, the use of nanotechnology makes it possible to replace the energy-intensive supply and exhaust ventilation system with an energy-saving air conditioning system while ensuring the regulatory parameters of the microclimate: temperature, humidity, gas composition, microbial content, dustiness, air velocity, eliminating odors while maintaining the heat release of animals. Nanoelectrotechnology in the technological processes of poultry farming using high and medium-high frequency electromagnetic radiation allows for: ultraviolet irradiation of hatching eggs and young poultry in order to decontaminate them from pathogens and stimulate perinatal (during incubation) development of young animals (studies have shown that hatchability of chickens increases to 94, and their preservation is up to 99%); disinfection and pasteurization of eggs; division of young poultry by sex. Taking into account the problems of environmental pollution, emissions with an unpleasant smell and gases affecting global warming, existing in animal husbandry, the most effective at present is the use of film-forming solutions of catalytic action. A promising development is the development of environmentally friendly nanotechnology for electroconservation of silage mass of green fodder with an electroactivated preservative instead of expensive organic acids, which require strict safety measures.

Keywords: agriculture, animal husbandry, nanotechnology, technological process, poultry farming, microclimate, ecology.

Formulation of the problem. At the present stage, the nanoindustry has been identified as one of the most innovative areas. Nanotechnology and nanomaterials are used in many areas of human activity, the number nanoproducts produced in the world are increasing every year. The use of the achievements of the nanoindustry is in the interests of the state agrarian policy. Nanotechnology is beginning to be successfully applied in genetic and cellular engineering, animal treatment; improving the quality of feed; technical service of agricultural machinery. Nanotechnologies are aimed at solving urgent problems of the agro-industrial complex, such as resource saving and increasing the efficiency of equipment, increasing the productivity of animal husbandry, productivity and resistance of agricultural crops to adverse environmental conditions, improving technological processes of production and processing of agricultural raw materials, obtaining environmentally friendly products and eliminating the loss of product quality supply during storage [1–3].

Analysis of recent research. Analysis of the state of the domestic infrastructure of the

nanotechnology industry, which was carried out by V. B. Borisevich, B. V. Borisevich, V. G. Kaplunenko, M. M. Khomin, R. S. Fedoruk, S. Y. Kropivka shows that, despite the high quality of research and the created scientific and technical groundwork, the infrastructure of the nanotechnology industry in Ukraine is still far behind the world leaders in nanotechnology. Various elements of the infrastructure were created, the functioning of which, to a greater extent, is aimed at generating new knowledge, and not at the commercialization of the results of scientific activities [4–8]. The main direction of the further development of animal husbandry is its all-round intensification with the use of nanotechnology.

Formulation of the goals of the article. To analyze the development of nanotechnology in agriculture of developed countries and determine the appropriate directions for their implementation in the technological processes of animal husbandry in Ukraine.

Main part. The use of nanotechnology and nanomaterials in animal husbandry currently allows solving a number of acute problems and provides a significant effect. In animal husbandry, it is advisable

to use nanotechnology in technological processes, where they provide additional advantages. When forming the microclimate in the premises for keeping animals and poultry, it allows replacing the energy-intensive supply and exhaust ventilation system with an energy-saving air conditioning system (electrochemical purification) of air with the provision of the standard microclimate parameters: temperature, humidity, gas composition, microbiological seeding, dustiness, air velocity, elimination of odors while preserving animal heat. As a result of the search for a solution to the problem, a recirculating cleaning system in a nanosecond corona discharge (NCD) was developed [9–12].

The technological process is that dirty and warm air during ventilation is not carried out into the environment, but passes through a pulsed corona electrostatic precipitator, where gases are converted, dust is deposited and bacteria and viruses are neutralized. To remove reaction products and residual ozone, the air passes through wet cleaning in the form of a microdispersed water aerosol. The aerosol is precipitated by a constant voltage corona filter. Clean air is supplied to the room. The process of cleaning exhaust gases from various organic and inorganic impurities, including various odors of an organic and inorganic nature, takes place in an electrostatic precipitator when it is powered by short high-voltage voltage pulses superimposed on a high constant voltage. The duration of the impulses is from tens of nanoseconds to several thousand [13,14].

As a result, the particles enter into radiation-chemical reactions with pollutant molecules. In the course of the reaction, gaseous impurities are converted into ecologically harmless gaseous products – aerosols or solid products, while the converted products are charged. Gaseous oxides of nitrogen or sulfur are converted to aerosols of the corresponding acids. Organic compounds decompose to the simplest compounds (CO_2 , H_2O) or form the simplest organic acids. Removal of aerosols and solid particles from the air flow is carried out in the pauses between pulses, due to the applied constant voltage. Aromatic oils can be added to the water aerosol to sanitize the premises. Then the presence of ozone in emissions is not observed at all, since it enters into a bond with hydrocarbons, and a pleasant aroma is felt in the air [15–17]. The purified and flavored air is fed back to the livestock or poultry houses. If necessary, fresh air is taken from the street, which is pre-cleaned (Fig. 1).

Such a fully purified air recirculation system consumes less energy than typical ventilation systems and, moreover, similar purification systems. This is achieved through the use of corona filters, new aerosol generators and the lack of ventilation. Studies show that energy consumption per head is reduced 56 times per year (from 2.4 to 0.4 thousand kWh).

With the expansion of the construction of pig farms by 110,500 thousand heads, the presence of ammonia and carbon dioxide in the air, which reaches the maximum permissible concentration of MPC (0.02 mg / l) in the summer, is especially dangerous for young animals. Electrochemical purification of polluted air without release into the environment was carried out by passing it through a nano-dispersed solution of water with slaked lime. Nanoelectric technology in the technological processes of poultry farming using high and microwave electromagnetic radiation allows you to:

- ultraviolet irradiation of hatching eggs and young poultry in order to decontaminate them from pathogens and stimulate the perinatal (during the incubation period) development of young birds. Studies have shown that hatchability of chickens increases to 94, and their safety – up to 99%;

- disinfection and pasteurization of eggs and egg products;

- division of young poultry by sex.

At present, an environmentally friendly nanotechnology is being developed for the electroconservation of the silage mass of green fodder with an electroactivated preservative (EAC) instead of expensive organic acids that require strict safety measures. EAC on the basis of electrolysis of 1% sodium chloride solution increases feed safety up to 95%. Taking into account the existing problems of environmental pollution, emissions with an unpleasant odor and gases affecting global warming in animal husbandry, the most effective at present is the use of film-forming solutions of catalytic action. The nanoparticles of titanium, silver and silicon (TiO_2 , Ag, and SiO_2) embedded in the structure of these solutions exhibit hitherto unknown properties. Catalytic films stimulate oxidation and reduction reactions on their surfaces and in their immediate surroundings. In livestock farms, oxidation can be used to deodorize and reduction reactions to limit the emission of ammonia and nitrogen oxides.

The use of drugs that cause catalysis of the medium, for example, photocatalysts based on TiO_2 , makes it possible to use the following functions in agriculture: hydrophilic effect, self-cleaning, bactericidal, fungicidal and disinfecting, neutralizing volatile organic compounds. The use of catalytic oxides with the participation of silver nanoparticles makes it possible to obtain a catalytic effect without access to light and to enhance the bactericidal, fungicidal and sterilizing functions. All of these functions can be used in the construction of outbuildings. Their effective implementation in agricultural practice will improve animal welfare and zoological conditions, limit burdens on the environment and reduce environmental hazards caused by gas emissions from intestinal fermentation and waste.




Fig. 1. Application of nanotechnology and nanomaterials in animal husbandry

Today, it is becoming more and more obvious that those countries that develop electronics, nanotechnology and biotechnology will have an advantage. Ukraine has large internal reserves, as there is a significant scientific backlog from Soviet times in nanoscience.

Summary. The use of nanotechnology and nanomaterials in animal husbandry currently allows solving a number of acute problems and provides a significant effect. In animal husbandry, it is advisable to use nanotechnology in technological processes, where they provide additional advantages. When forming the microclimate in the premises for keeping animals and poultry, it allows replacing the energy-intensive supply and exhaust ventilation system with an energy-saving air conditioning system (electrochemical purification) of air with the provision of standard microclimate parameters: temperature, humidity, gas composition, microbiological contamination, dustiness, air velocity, elimination of odors while maintaining heat release from animals.

Nanoelectrotechnology in technological processes of poultry farming using high and microwave

electromagnetic radiation allows for: ultraviolet irradiation of hatching eggs and young poultry in order to decontaminate them from pathogens and stimulate the perinatal (during the incubation period) development of young animals. (studies have shown that hatchability of chickens increases to 94, and their safety – up to 99%); disinfection and pasteurization of eggs and egg products; division of young poultry by sex.

Taking into account the existing problems of environmental pollution, emissions with an unpleasant odor and gases affecting global warming in animal husbandry, the most effective at present is the use of film-forming solutions of catalytic action.

References:

1. Allkemper, T., Bremer, C., Matuszewski, L., Ebert, W., Reimer, P. (2012). Contrast-enhanced blood-pool MR angiography with optimized iron oxides: effect of size and dose on vascular contrast enhancement in rabbits. *Radiology*, 223 (2), pp. 432 - 438.

2. Sklar, O. G. (2018). Fundamentals of designing livestock enterprises: a textbook. Condor Publishing House. 380 p.
3. Komar, A. S. (2018). Analysis of the design of presses for the preparation of feed pellets and fuel briquettes. TDATU Scientific Bulletin. Issue 8. Vol. 2. pp. 44–56.
4. Tsuchiya, K., Nitta, N., Sonoda, A., Otani, H., Takahashi, M., Murata, K. (2013), Atherosclerotic imaging using 4 types of superparamagnetic iron oxides: new possibilities for mannan-coated particles. Eur. J. Radiol. 82 (11), pp. 1919–1925.
5. Boltyanskaya, N. I. (2017). The dependence of the competitiveness of the pig industry from its technology parameters of productivity of the animals. Bulletin of Kharkov national University-University of agriculture after Petro Vasilenko. Kharkov. Vol. 18. pp.81–89.
6. Komar, A. S. (2019). Processing of poultry manure for fertilization by granulation. Abstracts of the 5th International Scientific and Practical Conference «Innovative Technologies for Growing, Storage and Processing of Horticulture and Crop Production». Uman. pp.18–20.
7. Skliar, A., Boltyanskyi, B. (2019). Research of the cereal materials micronizer for fodder components preparation in animal husbandry. Modern Development Paths of Agricultural Production. Springer Nature Switzerland AG. pp. 249–258.
8. Boltyansky, O. V. (2012). The development of the pig industry and the competitiveness of its products. MOTROL: Motoryzacja i Energetyka Rolnictwa. Vol. 14, No 3. pp. 164–175.
9. Zhang, Y. X., Das, G. K., Xu R. Tan, T. T. Y. (2009). Tb-doped iron oxide: bifunctional fluorescent and magnetic nanocrystals. J. Mater. Chem. 19 (22). pp. 3696–3703.
10. Komar, A. S. (2019). Development of the design of a press-granulator for the processing of bird manure. Coll. scientific-works of Intern. Research Practice Conf. «Topical issues of development of agrarian science in Ukraine». pp. 84–91.
11. Boltyansky, B. (2016). Analysis of major errors in the design of pumping stations and manure storage on pig farms. TEKA Commission of Motorization and Energetics in Agriculture. Vol.16, No 2. pp. 49–54.
12. Selvan, S. T., Patra, P. K., Ang, C. Y., Ying, J. Y. (2017). Synthesis of silica-coated semiconductor and magnetic quantum dots and their use in the imaging of live cells. Angew Chem. Int. Ed. Engl. 46 (14), pp. 2448–2452
13. Sklar, O. (2012). Mechanization of technological processes in animal husbandry: textbook. manual. Melitopol: Color Print. 720 p.
14. Boltyanskaya, N. I. (2016). The system of factors of effective application resurser-Gauci technologies in dairy cattle in the enterprise. Scientific Bulletin Tauride state agrotechnological University. Electronic scientific specialized edition. Vol. 6. pp. 55–64.
15. . Syrvatka, V. J., Slyvchuk, Y. I., Rozgoni, I. I. 92013) Chemical synthesis of silver nanoparticles with attractive physicochemical properties. International OSA Network of student IONS–14, Torun, Poland, p. 29.
16. Singh, S. P., Rahman, M. F., Murty, U. S., Mahboob, M., Grover, P. (2013). Comparative study of genotoxicity and tissue distribution of nano and micron sized iron oxide in rats after acute oral treatment. Toxicol. Appl. Pharmacol., 266 (1), pp. 56–66
17. Boltyansky, O. V. (2016). Analysis of the main areas of resource conservation in animal husbandry. Motrol: Motoryzacja i Energetyka Rolnictwa. Vol. 18, No 13. pp. 49–54.

Анотація

Застосування нанотехнологій в технологічних процесах тваринництва України

Н. Болтянська, І. Маніта, О. Подашевська

На сьогоднішній день все більш очевидним стає, що перевага буде у тих країн, які розвивають електроніку, нанотехнології та біотехнології. Проведені дослідження показали, що застосування нанотехнологій і наноматеріалів в тваринництві в даний час дозволяє вирішити ряд гострих проблем і забезпечує значний ефект. У тваринництві нанотехнології доцільно використовувати в технологічних процесах, де вони дають додаткові переваги. При формуванні мікроклімату в приміщеннях утримання тварин і птиці застосування нанотехнологій дозволяє замінити енергоємну припливно-витяжну систему вентиляції енергозберігаючою системою кондиціонування повітря із забезпеченням нормативних параметрів мікроклімату: температура, вологість, газовий склад, мікробіообміненість, запиленість, швидкість руху повітря, усунення запахів із збереженням тепловиділень тварин. Наноелектротехнологія в технологічних процесах птахівництва з використанням електромагнітних випромінювань високої і понадвисокої частоти дозволяє здійснювати: ультрафіолетове опромінення інкубаційних яєць і молодняку птиці з метою їх знезараження від хвороботворних мікроорганізмів і стимуляції перинатального (в період інкубації) розвитку молодняка (дослідження показали, що виводимість курчат зростає до 94, а їх збереження – до 99%); знезараження та пастеризацію яєць і яйцепродуктів; поділ молодняку птиці по підлозі. З огляду на існуючі в тваринництві проблеми забруднення

навколишнього середовища, емісії з неприємним запахом і газів, що впливають на глобальне потепління, найбільш ефективним в даний час є застосування плівкоутворюючих розчинів каталітичного дії. Перспективною є розробка екологічно чистої нанотехнології електроконсервування силосної маси зелених кормів електроактивованим консервантом замість дорогих органічних кислот, які потребують дотримання суворих заходів техніки безпеки.

Ключові слова – сільське господарство, тваринництво, нанотехнології, технологічний процес, птахівництво, мікроклімат, екологія.

Аннотація

Применение нанотехнологий в технологических процессах животноводства Украины

Н. Болтянская, И. Манита, Е. Подашевская

На сегодняшний день все более очевидным становится, что преимущество будет у тех стран, которые развивают электронику, нанотехнологии и биотехнологии. Проведенные исследования показали, что применение нанотехнологий и наноматериалов в животноводстве в настоящее время позволяет решить ряд острых проблем и обеспечивает значительный эффект. В животноводстве нанотехнологии целесообразно использовать в технологических процессах, где они дают дополнительные преимущества. При формировании микроклимата в помещениях содержания животных и птицы применение нанотехнологий позволяет заменить энергоёмкую приточно-вытяжную систему вентиляции энергосберегающей системой кондиционирования воздуха с обеспечением нормативных параметров микроклимата: температура, влажность, газовый состав, микрообсемененность, запыленность, скорость движения воздуха, устранения запахов с сохранением тепловыделений животных. Наноэлектротехнология в технологических процессах птицеводства с использованием электромагнитных излучений высокой и средневысокой частоты позволяет осуществлять: ультрафиолетовое облучение инкубационных яиц и молодняка птицы с целью их обеззараживания от болезнетворных микроорганизмов и стимуляции перинатального (в период инкубации) развития молодняка (исследования показали, что выводимость цыплят возрастает до 94, а их сохраняемость – до 99%); обеззараживания и пастеризацию яиц; разделение молодняка птицы по полу. Учитывая существующие в животноводстве проблемы загрязнения окружающей среды, эмиссий с неприятным запахом и газов, влияющих на глобальное потепление, наиболее эффективным в настоящее время является применение пленкообразующих растворов каталитического действия. Перспективной является разработка экологически чистой нанотехнологии электроконсервирования силосной массы зеленых кормов электроактивированным консервантом вместо дорогих органических кислот, которые требуют соблюдения строгих мер техники безопасности.

Ключевые слова – сельское хозяйство, животноводство, нанотехнологии, технологический процесс, птицеводство, микроклимат, экология.

Бібліографічне посилання/ Bibliography citation: Harvard

Boltianska, N., Manita, I. and Podashevskaya, H. (2020) 'Application of nanotechnology in technological processes of animal husbandry in Ukraine', *Engineering of nature management*, (2)(16), pp. 33 - 37.

Подано до редакції / Received: 22.08.2020