

621. 316. 929

. . ., 35- .
. . ., . . . ,

-

,

,

.

,

,

,

.

,

[1].

,

,

.

,

,

()

Z , Z , Z
Z , Z , Z:

()
()

) [2].

,

,

:

-

Z , Z , Z
Z , Z , Z ;

$$\dot{U}'_2 = 1/3(\dot{U}_{ab} + a^2 \dot{U}_{bc} + a \dot{U}_{ca}); \quad (6)$$

$$U_2\% = (U_2 / U) \cdot 100, \quad (7)$$

$$\frac{\dot{U}_{ab}, \dot{U}_{bc}, \dot{U}_{ca}}{U} \quad - \quad , \quad ;$$

:

$$= 0: \quad s = \frac{u_1 - u_2^2 m}{s}; \quad (8)$$

$$= 1: \quad s = \frac{m_0 + \frac{-m_0}{1-s}}{\frac{-m_0}{1-s} + \frac{1}{s} u_1^2 - m u_2^2}; \quad (9)$$

$$= 2: \quad s_{1,2} = \frac{- \pm \sqrt{^2 - 4d}}{2d}, \quad (10)$$

$$d = \frac{-m_0}{(1-s)^2}; \quad = m u_2^2 - \frac{1}{s} u_1^2 - 2 \frac{(-m_0)}{(1-s)^2}; \quad = m_0 + \frac{-m_0}{(1-s)^2};$$

$$m_0 = \frac{M_0}{M}; \quad = \frac{M}{M}; \quad m = \frac{M}{M}; \quad u_1 = \frac{U'_1}{U}; \quad u_2 = \frac{U'_2}{U} \quad (11)$$

1. / -4- ., . - .:
2. // / . - .5. -
3. 2002.- .11 - 18. // / . - .6. - 2002. - .90 - 94.